TEKNOR APEX

sarlink®

Automotive OEM Material Approvals

NORTH AMERICA

Table 1: FCA Group

Grade	Specification
Sarlink 3150B/N	MS-AR80A
Sarlink 3160B/N	MS-AR80B
Sarlink 3170B/N	MS-AR80C
Sarlink 3180B/N	MS-AR80D
Sarlink 3190B/N	MS-AR80E
Sarlink 4139DB/N	MS-AR-100 FGN
Sarlink 4149DB/N	MS-AR-100 GGN
Sarlink 4155B/N	MS-AR-100 AGN
Sarlink 4165B/N	MS-AR-100 BGN
Sarlink 4175B/N	MS-AR-100 CGN
Sarlink 4180B/N	MS-AR-100 DGN
Sarlink 4190B/N	MS-AR-100 EGN
Sarlink 4750B42	MS-AR-100 AMV
Sarlink 6755N	MS-AR-100 AMV2
Sarlink 4765B40	MS-AR-100 BMV
Sarlink 6765N	MS-AR-100 BMV2
Sarlink 4775B40	MS-AR-100 CMV
Sarlink 6775N	MS-AR-100 CMV2
Sarlink 4785B40	MS-AR-100 DMV
Sarlink 5755B	MS-AR-100 AGV
Sarlink 5765B	MS-AR-100 BGV
Sarlink 5775B	MS-AR-100 CGV
Sarlink 5790B	MS-AR-100 EGV
Sarlink 5745B	MS-AR-100 FGV
Sarlink 5750DB	MS-AR-100 HGV
Sarlink 5735B	MS-AR-100-IGV
Sarlink 6755N	MS-AR-100 (MS.50015)
Sarlink 6765N	MS-AR-100 (MS.50015)
Sarlink 6775N	MS-AR-100 (MS.50015)
Sarlink ML-1670 TX7	MS-DC-242 (CPN 5351, COLOR TX7)
Elexar EL-8451B/N	MS-DC-242 (CPN 3207, COLOR TX7)

Table 2: Ford

Grade	Specification
Sarlink 3145DB/N	WSK-M4D712-A1
Sarlink 4139DB/N	WSD-M2D441-A
Sarlink 4155B	WSD-M2D378-A1
Sarlink 4165B	WSD-M2D379-A1
Sarlink 4175B	WSD-M2D380-A1
Sarlink 4180B	WSD-M2D381-A1
Sarlink 4190B	WSD-M2D382-A1
Sarlink 5755B	WSS-M2D378-B1
Sarlink 5765B	WSS-M2D379-B1
Sarlink 5775B	WSS-M2D380-B1
Sarlink 5790B	FORD ENDORSED – ASTM CALLOUT
Sarlink 2773N NAT	WSS-M2D-520 A3
Sarlink 2773B JA6A	WSS-M2D-520 A3 (JA6)
Sarlink 2773 3197 GRY	WSS-M2D-520 A3 (Medium Lt. Stone, 1T3A)
Sarlink 2773 3198 BLK	WSS-M2D-520 A3 (Charcoal Black, 5B8A)
Sarlink 2773 3195 BRN	WSS-M2D-520 A3 (Canyon, AU5A)
Sarlink 2773 BLK 9078	WSS-M2D-520 A3 (Ebony, ZHEA)
Sarlink 6755B JA6	WSS-M2D-510 B5 (Black, JA6)
Sarlink 6765B JA6	WSS-M2D-510 B6 (Black, JA6)
Sarlink 6775B JA6	WSS-M2D-510 B7 (Black, JA6)
Sarlink 4755B42	WSS-M2D-510 B5 (Black, JA6)

Table 3: General Motors

Grade	Specification
Sarlink 5725B	GMW 15812P Type 1
Sarlink 5735B	GMW 15812P Type 2
Sarlink 4750B42	GMW 15812P Type 4M
Sarlink 5755B	GMW 15812P Type 4E
Sarlink 4765B40, 4765B42, 5765B	GMW 15812P Type 5M
Sarlink 5765B	GMW 15812P Type 5E
Sarlink 4775B40	GMW 15812P Type 6M
Sarlink 5775B	GMW 15812P Type 6E
Sarlink 5780B	GMW 15812P Type 7
Sarlink 4785B40	GMW 15812P Type 8M
Sarlink 5790B	GMW 15812P Type 8E
Sarlink 5740DB	GMW 15812P Type 9
Sarlink 5750DB	GMW 15812P Type 10E
Sarlink 4155B/N	GMW 15813 Type 4
Sarlink 4165B/N	GMW 15813 Type 5
Sarlink 4175B/N	GMW 15813 Type 6
Sarlink 4180B/N	GMW 15813 Type 7
Sarlink 4190B/N	GMW 15813 Type 8
Sarlink 4139D/N	GMW 15813 Type 9
Sarlink 4149DB/N	GMW 15813 Type 10
Sarlink 6755N	GMW 15816 Type 4
Sarlink 6765N	GMW 15816 Type 5
Sarlink 6775N	GMW 15816 Type 6
Sarlink 10060B	GMW 15825 Type 3

Table 4: Honda

Grade	Specification
Sarlink 3150B	Unspecified
Sarlink 3160B	Unspecified
Sarlink 3160N	Unspecified
Sarlink 4155B	Unspecified
Sarlink 4190B	Unspecified
Sarlink 4765B40	Unspecified
Sarlink 4775B40	Unspecified
Sarlink 5790B	Unspecified
Sarlink 6755 NH781L	Color - NH781L - Mocha Grey
Sarlink 6755 NH836L	Color - NH836L - Light Grey
Sarlink 6755 NH900L	Color - NH900L - Neutral Black
Sarlink 6755 YR507L	Color - YR507L - Shadow Beige

Table 5: Nissan

Grade	Specification
Sarlink 5755B	Unspecified
Sarlink 5765B	Unspecified

Table 6: Toyota

Grade	Specification
Sarlink 4165B	Unspecified
Sarlink 4175B05	Unspecified

NORTH AMERICA

Email: TPE@teknorapex.com **Americas:** +1 401 725 8000 **Europe:** +31 46 702 0950 **Asia:** +65 6265 2544 **www.teknorapex.com**

The information contained in this bulletin is, to the best of our knowledge, accurate and complete but Teknor Apex Company ("Teknor") makes no guarantee as to its accuracy or completeness. All products are sold upon the condition that purchasers shall conduct their own tests to determine the suitability of such products for their particular purposes and uses and purchaser assumes all risks and liability for the results of use of the products, including such uses that may be in accordance with seller's advice or suggestion. Nothing in this bulletin constitutes permission or a recommendation to practice or use any invention covered by any patent owned by this company or by others. Teknor's Standard Product Warranty is contained in its General Terms and Conditions of Sale.All other warranties, express or implied, including the Warranty of Merchantability and Fitness for a Particular Purpose are hereby disclaimed. For detailed Product Stewardship information, please contact us. Please note that some products may not be available in one or more countries.

© **2020 Teknor Apex Company.** All rights are reserved.

Revision Data - August 2020

TEKNOR APEX

sarlink®

Automotive OEM Material Approvals

EUROPE

Table 1: Audi

Grade	Specification
Sarlink 14065B	VW501 23
Sarlink 11044DB	VW5012G
Sarlink 3160B	VW501 23
Sarlink 3180B	TL 526 22 / VW501 23 / VW501 79 / VW501 80
Sarlink 3939DB	VW501 80 / VW501 23 / VW TL1010
Sarlink 4155B	VW501 23
Sarlink 4755B42	VW501 23 / VW501 80
Sarlink 4775B40	VW501 23
Sarlink 4775B42	VW501 23 / VW501 80 / VWTL 52381-C
Sarlink 5735B	VW82034 / VW91101
Sarlink 5755B	VW501 23

Table 2: Bentley

Grade	Specification
Sarlink 3190B	VW501 23

Table 3: BMW

Grade	Specification
Sarlink 3160B	BMW - UNSPECIFIED
Sarlink 3170B	BMW - UNSPECIFIED
Sarlink 4165B	BMW - UNSPECIFIED
Sarlink 4765B42	BMW - UNSPECIFIED
Sarlink 4775B42	BMW - UNSPECIFIED
Sarlink 5765B	BMW - UNSPECIFIED

Table 4: Citroën

Grade	Specification
Sarlink 3139DB	PSA B62 0300 version G
Sarlink 3140B	PSA B62 0300 version G
Sarlink 3145DB	PSA B62 0300 version G
Sarlink 3150B	PSA B62 0300 version G
Sarlink 3160B	PSA B62 0300 version G
Sarlink 3780B	PSA B62 0300 version G
Sarlink 3939DB	PSA B62 0300 version G
Sarlink 4139D	PSA B62 0300 version G
Sarlink 4775B42	PSA B62 0300 version G
Sarlink 5740DB	PSA B62 0300 version G
Sarlink 5765B	PSA B62 0300 version G
Sarlink 5775B	PSA B62 0300 version G
Sarlink K156B	PSA B62 0300 version G

Table 5: Dacia

Grade	Specification
Sarlink 4155B	Renault F.R.M. 7A-10-A11
Sarlink K156B	Renault F.R.M. 4D-50-A09, F.R.M. 4D-50-A08

Table 6: Ford

Grade	Specification
Sarlink 4175B	WSD-M2D379-A6
Sarlink 4775B40	WSD-M2D378-A1 / WSS-M2D378-B1
Sarlink 4775B42	WSS-M2D380-B1 / WSS-M9P-10A
Sarlink 5735B	FORD - UNSPECIFIED
Sarlink 5765B	WSS-M2D379B1
Sarlink X10060B	WSD-M2D49-A2
Sarlink 3160B	WSD-M2D379-A1
Sarlink 3180B	WSD-M2D381-A1
Sarlink 3190B	WSD-M2D382-A1
Sarlink 4155B	WSD-M2D378-A1
Sarlink 4165B	WSD-M2D379-A1 / WSD-M2D378-A6

Table 7: Honda

Grade	Specification
Sarlink 4775B42	73512-T6L

Table 8: Jaguar

Grade	Specification
Sarlink 4765B42	STJLR-51.5301

Table 9: Lada

Grade	Specification
Sarlink 5765B	Renault F.R.M. 7A-10-A11

Table 10: Mercedes-Benz

Grade	Specification
Sarlink 7765B	DBL 5562.30
Sarlink 11044DB	DBL 5578
Sarlink 11059DB	DBL 5578
Sarlink 3140B	DBL 5562.30
Sarlink 3160B	DBL 5562.30
Sarlink 3170B	DBL 5562.30 / DBL 5556.21
Sarlink 3180B	DBL 5562.30
Sarlink 4755B42	DBL 5562.30 / DBL 5422
Sarlink 4765B42	DBL 5562.30 / DBL 5422
Sarlink 4775B40	DBL 5562.30 / DBL 5422
Sarlink 5745B	DBL 5562.30
Sarlink 5765B	DBL 5562.30
Sarlink 5775B	DBL 5562.30

Table 11: Mini

Grade	Specification
Sarlink 3140B	Mini/BMW - UNSPECIFIED
Sarlink 3170N	Mini/BMW - UNSPECIFIED
Sarlink 3790B	Mini/BMW - UNSPECIFIED
Sarlink 5740DB	Mini/BMW - UNSPECIFIED
Sarlink 5755B	Mini/BMW - UNSPECIFIED
Sarlink 5765B	Mini/BMW - UNSPECIFIED

Table 12: Nissan

Grade	Specification
Sarlink 10035B	NISSAN - UNSPECIFIED
Sarlink 11044DB	NISSAN - UNSPECIFIED
Sarlink 3190B	NISSAN - UNSPECIFIED
Sarlink 5765B	NES M7075

Table 13: Opel

Grade	Specification
Sarlink 3939D-01	GMW3013 / QK003531
Sarlink 3939D	GMW3013 / QK003531
Sarlink 4165B	QK3521

Table 14: Peugeot

Grade	Specification
Sarlink 3790B	PSA B62 0300 version G
Sarlink 4139D	PSA B62 0300 version G
Sarlink 4175B	PSA B62 0300 version G
Sarlink 4755B42	PSA B62 0300 version G
Sarlink 4775B42	PSA B62 0300 version G
Sarlink 5740DB	PSA B62 0300 version G
Sarlink 5765B	PSA B62 0300 version G
Sarlink K156B	PSA B62 0300 version G
Sarlink 3139DB	PSA B62 0300 version G
Sarlink 3150B	PSA B62 0300 version G
Sarlink 3160B	PSA B62 0300 version G
Sarlink 3170B	PSA B62 0300 version G
Sarlink 3190B	PSA B62 0300 version G
Sarlink 3780B	PSA B62 0300 version G

Table 15: Porsche

Grade	Specification
Sarlink 4765B42	VW501 80 / VW501 23
Sarlink 4775B42	VW501 80 / VW501 23 / VW TL 52381-C
Sarlink 4785B40	VW501 23

Table 16: Renault

Grade	Specification
Sarlink 3139DB	Renault F.E.M. 03 20 007
Sarlink 3150B	Renault F.R.M. 6A 05 A08
Sarlink 3190B	Renault F.E.M. 03 20 007
Sarlink 4775B42	Renault 32 06 41 D
Sarlink 5765B	Renault F.R.M. 7A 10 A11
Sarlink K156B	Renault F.R.M. 4 D 50 A08

Table 17: Seat

Grade	Specification
Sarlink 3140B	VW501 23 / VW501 79 / VW501 80
Sarlink 3150B	VW501 23 / VW501 79 / VW501 80
Sarlink 3939DB	VW501 80 / VW501 23 / VW TL1010
Sarlink 4755B42	VW501 23 / VW501 80
Sarlink 4775B42	VW501 23 / VW501 80 / VWTL 52381-C
Sarlink 5775B	VW501 23
Sarlink K156B	VW501 23 / VW TL 526 22-MD01

Table 18: Skoda

Grade	Specification
Sarlink 11044DB	VW501 23
Sarlink 11059DB	VW501 23
Sarlink 17165B	VW501 23
Sarlink 3150B	VW501 23 / VW501 79 / VW501 80
Sarlink 3190B	VW501 23
Sarlink 4155B	VW501 23
Sarlink 4765B42	VW501 23
Sarlink 4775B40	VW501 23
Sarlink 4775B42	VW501 23 / VW501 80 / VWTL 52381-C
Sarlink 5745B	VW501 23
Sarlink 5755B	VW501 23
Sarlink 5765B	VW501 23
Sarlink 5775B	VW501 23
Sarlink K156B	VW501 23 / VW TL 526 22

Table 19: Smart

Grade	Specification
Sarlink 3939DB	DBL 5662.30
Sarlink 5775B	DBL 5662.30

Table 20: Volvo

Grade	Specification
Sarlink 3145DB	STD 412-0001
Sarlink 5765B	STD 318-06010

Table 21: Volkswagen

Grade	Specification
Sarlink 11044DB	VW501 23
Sarlink 3139DB	VW501 23 / VW501 80 / VW TL1010
Sarlink 3140B	VW501 23 / VW501 79 / VW501 80
Sarlink 3150B	VW501 23 / VW501 79 / VW501 80
Sarlink 3170B	VW501 80 / VW501 23
Sarlink 3180B	VW501 80 / VW501 23 / VW TL526 22
Sarlink 3190B	VW501 23
Sarlink 3939DB	VW501 80 / VW501 23 / VW TL1010
Sarlink 4139D	VW501 23
Sarlink 4155B	VW501 23
Sarlink 4765B42	VW501 23 / VW501 80
Sarlink 4775B42	VW501 23 / VW501 80
Sarlink 5735B	VW82034 / VW91101
Sarlink 5755B	VW501 23
Sarlink 5765B	VW501 23
Sarlink 6165N	VW501 23 / VW501 80
Sarlink K156B	VW501 23 / VW TL 526 22

EUROPE

Email: TPE@teknorapex.com **Americas:** +1 401 725 8000 **Europe:** +31 46 702 0950 **Asia:** +65 6265 2544 **www.teknorapex.com**

The information contained in this bulletin is, to the best of our knowledge, accurate and complete but Teknor Apex Company ("Teknor") makes no guarantee as to its accuracy or completeness. All products are sold upon the condition that purchasers shall conduct their own tests to determine the suitability of such products for their particular purposes and uses and purchaser assumes all risks and liability for the results of use of the products, including such uses that may be in accordance with seller's advice or suggestion. Nothing in this bulletin constitutes permission or a recommendation to practice or use any invention covered by any patent owned by this company or by others. Teknor's Standard Product Warranty is contained in its General Terms and Conditions of Sale.All other warranties, express or implied, including the Warranty of Merchantability and Fitness for a Particular Purpose are hereby disclaimed. For detailed Product Stewardship information, please contact us. Please note that some products may not be available in one or more countries.

© **2020 Teknor Apex Company.** All rights are reserved.

Revision Data - August 2020